

AutoRepair - 3241 - Aparejo En Spray 1K "HS" Gris Medio 500 ML.

Aparejo en Spray Hs Gris Medio 500 ML. Excelente adherência en metal y plástico.

Características: Aparejo acrílico 1K de alto espesor. Su alto contenido en sólidos proporcionan un excepcional nivel de cubrición con muy poco producto ahorrando más de un 30% en material. Excelente adherencia en metal y plástico. Gran capacidad de sellado y nivelación. Secado al aire, bajo cocción o por infrarrojos. Secado extra-rápido aproximadamente 2 minutos. Extremadamente fácil de lijar





AUTO REPAIR
PROFESSIONAL SOLUTIONS

ACRILICO TÉCNICO

3241
1K HIGH
PRIMER
UHS

APAREJO ACRILICO
1K UHS
1K PRIMER FILLER UHS
APARELHO ACRILICO UHS

APAREJO ACRILICO 1K UHS
1K PRIMER FILLER UHS
APARELHO ACRILICO UHS

APAREJO ACRILICO 1K UHS
1K PRIMER FILLER UHS
APARELHO ACRILICO UHS

APAREJO ACRILICO 1K UHS
1K PRIMER FILLER UHS
APARELHO ACRILICO UHS



U-B PRIMER FILLER APEREJO ACRILICO 1K

ACRYLIC Primer Filler. It is composed of 1 part primer and 1 part filler (1:1 ratio). It is used to fill scratches, cracks, and other surface defects. It is applied with a brush or spray gun. It is then sanded and painted over. It is a fast-drying, durable, and easy-to-use product. It is suitable for use on all types of surfaces, including metal, plastic, and wood. It is also suitable for use on curved surfaces and in tight spaces. It is a professional-grade product that is used by automotive repair shops and body shops.

U-B PRIMER FILLER 1K PRIMER FILLER

ACRYLIC Primer Filler. It is composed of 1 part primer and 1 part filler (1:1 ratio). It is used to fill scratches, cracks, and other surface defects. It is applied with a brush or spray gun. It is then sanded and painted over. It is a fast-drying, durable, and easy-to-use product. It is suitable for use on all types of surfaces, including metal, plastic, and wood. It is also suitable for use on curved surfaces and in tight spaces. It is a professional-grade product that is used by automotive repair shops and body shops.

U-B PRIMER FILLER APEREJO ACRILICO 1K

ACRYLIC Primer Filler. It is composed of 1 part primer and 1 part filler (1:1 ratio). It is used to fill scratches, cracks, and other surface defects. It is applied with a brush or spray gun. It is then sanded and painted over. It is a fast-drying, durable, and easy-to-use product. It is suitable for use on all types of surfaces, including metal, plastic, and wood. It is also suitable for use on curved surfaces and in tight spaces. It is a professional-grade product that is used by automotive repair shops and body shops.

PELIGRO - DANGER - PERICOLO

Read the entire label carefully before use. This product is highly flammable and can cause serious injury or death if used improperly. It is also highly toxic and can cause severe health effects if inhaled or ingested. It is important to wear proper protective equipment, including gloves, goggles, and a respirator, when using this product. It is also important to avoid open flames and sparks, and to use proper ventilation. If you experience any adverse effects, stop using the product immediately and seek medical attention. For more information, please contact the manufacturer or your local health department.



AUTO REPAIR
AUTOMATA CAUTION

For more information, please visit our website at www.auto-repair-online.com.
© 2018 Auto Repair Online. All rights reserved.